# **Base Plates**

# 1100.400



# **Product Description**

### **Material**


· Steel, hardened, ground


### More information


#### **Notes**

Customized design on request.


# **Drawing**











# 1100.400











Slot spacing 70 ±0,01.

Halder, Inc.

Page 1 of 4 www.halderusa.com Published on: 17.11.2024

# **Order information**

System	Dimensions				у	Number of T-slots	I	Art. No.
	<b>b</b> <sub>1</sub>	b <sub>2</sub>	I <sub>1</sub>	l <sub>2</sub>			_	
	[mm]				[mm]		[kg]	
V70	300	140	490	140	12	4 x 7	65	1100.400

# Application example






www.halderusa.com Page 2 of 4
Published on: 17.11.2024



Halder, Inc.

www.halderusa.com Page 3 of 4
Published on: 17.11.2024



## Compliance

#### **RoHS** compliant

Contains lead - compliant according to exceptions 6a / 6b / 6c.

# Contains SVHC substances >0,1% w/w

Contains lead - SVHC list [REACH] as of 27.06.2024.

### **Contains Proposition 65 substances**



Lead can cause cancer and reproductive harm from exposure https://www.P65Warnings.ca.gov/

### **Free from Conflict Minerals**

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



Page 4 of 4 Published on: 17.11.2024